enercom
solutions · china

GLOBAL SOLUTIONS
GREENER LIVING

BUILD A SMARTER TOMORROW | MODULAR • SUSTAINABLE • EFFICIENT

SMART BUILDING
GLOBAL SOLUTIONS
GREENER LIVING







智慧装配式建筑解决方案供应商

Smart Prefabricated Building Solution Provider

www.enercomglobal.com
sales@enercomglobal.com

应用场景：轻钢别墅、模块化建筑、移动卫生间、移动房屋、乡村住宅、营地项目与建筑翻新。

产品优势
Product advantages

01 严标准 STRICT STANDARDS

严格把控生产质量、建造标准，让产品符合各个国家的生产指标，打造高标准、高要求的生产车间，让客户更放心。

Strictly control production quality and construction standards to ensure that products meet the production indicators of various countries, create high standard and high requirement production workshops, and give customers more peace of mind.

02 强质检 STRONG QUALITY INSPECTION

质量要求严格，每个产品都经过层层检查，只有合格的产品才可以发到客户手中，实现长期的合作。

Strict quality requirements, each product undergoes layers of inspection, and only qualified products can be delivered to customers, achieving long-term cooperation.

03 高技术 HIGH TECHNOLOGY

公司具备自我生产、设计、组装等多种人才，成功实现自我研发、自我生产的高技术要求。

The company has various talents in self production, design, assembly, etc., and has successfully achieved the high-tech requirements of self research and development and self production.

产品质量
Product quality

1、抗风压可达9级
WIND PRESSURE CAN REACH9

外门窗正常关闭状态时在风压作用下不发生损坏、高强度的柱、梁、墙等称重构建进一步抵抗风压和震动影响。

When the external doors and windows are in a normal closed state, they will not be damaged under wind pressure, and high-strength columns, beams, walls, etc. will be weighed and constructed to further resist the effects of wind pressure and vibration.

2、防腐防虫
ANTI-CORROSION AND ANTI-INSECT

外部铝合金材质具有很大的耐腐蚀的特性。材料经过特殊处理、密封性好、可以防蚊、防虫、防白蚁，使用寿命长达50年。

The external aluminum alloy material has great corrosion resistance. The material has undergone special treatment, has good sealing properties, can resist mosquitoes, insects, and termites, and has a service life of up to 50 years.

3、防火防水
FIRE AND WATERPROOF

墙体采用防水卷材、防水材料，水密性能可达6级强风暴雨不受侵扰采用高阻燃性板材制作墙体，增加防火防水的能力。

The walls are made of waterproof coiled materials and waterproof materials, and the water tightness can reach Grade 6 strong storm and rain without interference. The walls are made of high flame retardant boards to increase the ability of fire prevention and waterproof.

4、保温隔热可达8级
THERMAL INSULATION UP TO 8 LEVELS

冬暖夏凉舒适节能，采用多种材料的组合墙，形成保温构造系统，解决保温与隔热的双重问题。

Warm in winter and cool in summer, comfortable and energy-saving, using a combination wall of multiple materials to form an insulation structure system, solving the dual problems of insulation and thermal insulation.

5、隔音性能可达45分贝
SOUND INSULATION PERFORMANCE CAN REACH 45 DB

采用双层玻璃及隔音材料，满足国际《绿色建筑评价标准》GB50378，旨在为居住者提供一个安静的室内生活环境。

Adopting double-layer glass and sound insulation materials, it meets the international "Green Building Evaluation Standard" GB50378, aiming to provide a quiet indoor living environment for residents.

3、防盗防冻
ANTI-THEFT AND ANTI-FREEZE

气密性可达8级，钢结构框架、高强度铝板舱身、加固的门锁安全性高，保证隐私的同时，又能享受屋外的自然美景。

The air tightness can reach level 8, and the steel structure frame, high-strength aluminum plate cabin body, and reinforced door lock have high safety, ensuring privacy while enjoying the natural scenery outside.

广泛场景应用
Widely applicable scenarios









美丽乡村-田园私家会所
Beautiful Countryside
Rural Private Clubhouse

露营度假-微时代的精致露营
Camping Vacation
Exquisite Camping in the Micro Era

驿站等全社会-领域应用场景开发
Post stations and the whole society
Development of Domain Application Scenarios

商务接待-体验温馨环境
Business reception
Experience a warm environment

主体结构
MAIN STRUCTURE



天 窗skylight
铝 板Aluminium plate
保 温 层Insulating layer
欧 松 板 oriented strand board
碳 晶 板 装 饰 面 Carbon oystal plate decocative suface
热镀锌框架 Hot:dipgalvanized frame
断 桥 铝 隔 断 cenbigeauninum partm
实 木 木 地 板 Solid wood floor
玻 镁 板 Magnesium glassplate
保 温 层 Insulatinglayer
铝 板 Aluminium plate





LED 主 题 灯 带
LED thame light belt
多功能全景客厅
Multi-functional panoramic living room
电动窗帘
Electric curtain
厨房
Kitchen
洗浴房
Bathroom
设备房
Equipment room
卫生间
Rest room
双人大床
Queen bed
全景卧室
Panoramic bedroom
电动窗帘
Electric curtain





太空舱23m²

space capsule











23平方标准版配置单

23 square standard version configuration sheet



产品型号：E6 PRODUCT Modal:E6

外形尺寸External dimensions	L700mm*300mm* H3200mm
客绝面积 Cahin area	28m²
入住人数 Occupancy	2人
客舱重量 Cabin weight	4T
最大功率 maximum Dwer	10KW

类影Icategory	主体外观明细Main apearance details	标配Standard
主体框架 Maln framework	热接锌帆框架结构厚度4mm Hot dip galvanized stel frame structure with a thickness of4mm	●
外壳caing	铝合会铝单板2.0m厚国标，表面金属玻烤漆工艺 Aluminum alloy alurminum veneer 2.0m thick national standard,surface metal carbon baking paint praces	●
隔热保温防水层 Thermal insulation and	阻燃高密高强A+环保无味聚氨酯保温屋 Flarne retardant high-density high-strength A+emironmentaly friendly odocles pelyurethane nsulato ayer	●
玻璃幕墙 Glass	6+12A+6中空Lowe钢化玻璃 6+12A+6 Hollow Lowe Tempered Glass	●
全景阳台 Panoramic balcony	阳台夹胶钢化玻璃 Balcony laminated tempered glass	●
入户门 Entrance doors	防火定制门 Fireprof customized dor	
入户锁 Entry lck	清店户外防水智能门锁 Hoteloutdoor waterproof smartdoo lock	●
电器设备间 Electrical oquipment room	空调/热水晋Air conditoning/water heater	●
氛围灯 Atmosphere lichts	外氧图灯LED External ambient ligt ED	●
类S别category	她内精菇修明组Details of cabin decoration	标配 Standard
顶而top surface	碳品板高端定制吊顶 Carbon crystal panel igh-end customized ceiling	●
墙面wall	高级定制磁品板 Advanced customized carbon crystal plate	●
地板floor	sPC石塑地板SPC stone plastic flooring	●
他内In cabin	环烧氛图灯带Surounding atmosphare light strip	●
照明lihting	筒灯照明Downlightilumination	●
窗帘系统 Curtain ystem	电动窗帘轨道Electrie curtaln track	●
类别category	**电器/水电明组** Electicalwater and Electricity Detals	标配 Standard
电缆cable	全屋电缆10平方入户8芯网线 10squara meter household 8core network cable for the whale house	●
管道pipe	PVC绝缘线路管道PVC insulated circuit pipeline	●
	全厘培排水抗爆抗压管道 Whole house watar supply and drainage antiexplosion and pressure resistant pipeline	●
热 水 waterheater	海尔50L热水器Haier 50Lwater heater	●
空调 air-confitioning	美的/海尔中央空调 Midea/Haier centralai cnitioning	●
插座socket	五孔雌座/三孔插座(罗格朗/公牛) Fwe hole sockethree hole socket (Legrand/Bul)	
面板panel	开关面板/USB面版(罗格朗/公牛》 5witch paneVUSB panel(Legrand/BulS	●

类别 category	五金卫浴明细 Hardware bathroom datals	标配 Standard
卫生间系统 Tolet system	卫生间隐私门(单向磨砂钢化玻璃》 Toilet privacy door (one way frosted tempered glass)	
	多功能花洒 Multfunctonal showerhead	●
	洪手台/盘//柜/地漏 Wash basin/tray/miroricabinet/fuor drain	●
	皇岛/九牧智能马幅 Huangdao/Jlumu Inteligent Toilet	●
	SPC防水地板SPCwaterprof flor	●
	照明通风取哦三合一浴霸 Lighting,ventilation,and heating thre in one bathroom heater	●
类别 category	智能起控剌系统 intelience control system	标配 Standard
取电 Draw lectity	插卡取电/取卡断电 Insert card to power onyremove card from powersuply	
类别 category	产品配件produt acessories	标配 Standard
	吊环/运辅因走件/连接件 Lifting rings/transpor fasteners/connectors	
	脚撑kickstand	
	入户踏步Entrance steps	

不含运费：参考价约10元一公里，以实际为准.不含一般纳税人增值税13%6,以实际政策为准

Excludingshiping The reference pric is abut 10 yuan perkilometer,subject toactual conafion Excuding 13%value-addad tax forgneral tapayers,subjec t actual plcies

产品持续升级换代中，图片仅供参考，最终以交付产品为准

During the continuous upgrading and replacement of the product,the pictures are for reference anly,and the final product deivery hal prevail

太空舱28㎡
space capsule









28平方标准版配置单
28 square standard version configuration sheet







产品型号：E5 PRODUCT Model:E5

外形尺寸External dimensions	L8500mm*W3300mm*H3200mm
客舱面积 Cabin ara	28㎡
入住人数 Ocupancy	2-4人
客舱重量 Cabin welzht	6T
最大励率 maximum nower	0KW

贵别category	主体外观明细Main appearance detalls	标配Standard	类别 category	五金卫浴明细 Hardware bathroom details	标配 Standard
主体框架 Main framework	热镀锌钢框架培构厚度4mm Hot dip galvanized steelframe structure with a thickness of 4mm	●	卫生间系统 Tollet system	卫生间隐私门《单向磨砂钢化玻璃) Toilet privacy door lone-way frosted tem pered glas	
外壳casing	铝合金铝单板2.0m厚国标，表面金属碘烤漆工艺 Aluminum alloy aluminum veneer 2.0m thick national standard,surface metal carbon baking paint proces5	●		多功能花洒 Multi functonal showerhead	
隔热保温防水层 Thermal insulation and	阻燃高密高强A+环保无味聚氯脂保温层 Flame retardant high-density high-strength A+environmentally frendly odorless polyurethane Insulation layer	●		洗手台/盘/镜/柜/地漏 Wash basin/tray/miro/cabinet/lor drain	
玻璃幕墙 Glass	6+12A+6中空Lowe钢化玻璃 6+12A+6 Hollow Lowe Tempered Glas,	●		皇岛/九牧智能马桶 Huangdao/Jiumu Intellient Tollet	
金景阳台 Panoramic balcony	**阳台夹胶钢化玻璃** Balcony Laminated tempered glass	●		SPC防水地板SPCwaterprof flor	
入户门 Entrance doors	防火定制门 Fireprof customized door	●		照明通风联暖三合一浴霸 Lighting wantilation,and heating three In one bathroom heater	
入户锁 Entry lock	酒店户外防水智能门锁 Hotel outdor watrproof smart dor lock	●	类别 category	智施控制系统 intelligence controlsystem	标起 Standard
电器设备间 Electrical equpment room	空调/热水器Aircnitoning'water heater	●	取电 Draw electicity	插卡取电/取卡断电 Insert card to power on/remove card from power suply	
氛围灯 Atmosphere lishte	外氛围灯LED External ambient light LED	●	类刚 categeory	产品配件product acesories	标配 Standard
提别category	能内精装修明细Details of cabin decoration	标配 Standard		吊环/运输固定件/连接件 Litingrings/transpot fasteners/connectors	
顶面top surface	碳晶板高端定制吊顶 Carbon crystal panal igh-and customizad ciling	●		脚撑kickstand	
墙面wall	高级定制晶板 Advanced customlzed carbon cystal plate	●		入户踏步Entrance steps	
地板flor	SPC石塑地板SPCstone plastic flooring	●			
舱内In cabin	环鳞氛围灯带Surrounding atmosphere light strip	●			
版明lighting	筒灯照明Downlight llumination	●			
窗帘系统 Curtain system	电动窗帘轨道Electrie curtain track	●			
类别category	**电器/冰电明细** Eletrical/Water and Electicity Details	标配 Standard			
电境cable	全屋电缆10平方入户8芯网线 10 square meter household 8-core network cable fo the whole house	●			
管道pipe	PVC绝缘线路管道PVC insulated cicuit pipeline	●			
	全屋拍排水抗爆抗压管道 Whole house water supply and drainage anti explosion and pressure resistant pipeline	●			
热水器 wator heatar	海尔50L热水器Haier 50L water heater	●			
空调 irconditioning	美的/海尔中央空调 Midea/Haier centralair cenitioning	●			
插在socket	五孔播座/三孔插座(罗格的/公牛) Five hola sockat/tre hole sockaet Legrand/Bull	●			
面板panel	开关面板USB面板(罗格朗/公牛) Switch panal/USB panal(Lagrand/Buls	●			

不含运费：参考价均10元一公里，以实际为准，不含一般纳税人增值税13%,以实际政廉为准

Excuding shliping:The reference prlce i about 10 yuan pe kilometer,subjec t actual condliton Extuding 139value-added tax for general taxpayers,subject to actual plcles

产品持续升级换代中，图片仅供参考，最终以交付产品为准

During the cntinuous uprading and replacement of the produt,the pictures are for reference only,and the final produt dallveryshall prevail

太空舱33㎡
space capsule











33平方标准版配置单
33 square standard version configuration sheet

产品型号：EB PRODUCT Model:EB



外形尺寸External dimensions	L1000mm*W3300mm*H3200mm
客隐面积 in are	33㎡
入住人数 OCccupancy	2-4人
客舱重量 Cabin welicht	10T
最大功率	10KW

类别category	主体外观明细Main appearance details	标配标 Standard	类别 category	五金卫浴明细 Hardware bathroom details	标配标 Standard
主体框架 Main framework	热镀锌钢框莱结构厚度4mm Hot dip galvanized stel frame structure with a thicknes of4mm	●	卫生间系统 Toilet system	卫生间隐私门(单向磨砂钢化玻璃) Toilet privacy door (one weyfrosted tempered glass	
外壳casing	铝合金铝单板2.0m厚国标，表面金属碾烤漆工艺 Aluminum alley aluminum veneer 20m thick national standard,surface metal carbon baking paint process			多功能花洒 Multi functional showerhead	●
隔热保温防水层 Thermal insulationand	阻燃高密高强A+环保无味聚氨酯保温层 □ trdsnt hih depsitu bish sren cntonmenalhy friendly odorles polyurethan insulation layer	●		洗手台/盘/装/距地漏 Wash basin'traymiror/cabinet/foor drain	●
玻璃幕墙 Glass	6+12A+6中空Lowe钢化玻璃 6+12A+6 Holow Lowe Tempered Glass	●		皇岛/九牧智能马桶 Huangdao/Jiumu Intelligent Toilet	●
全景阳台 Panoramic balkcory	阳台夹胶钢化玻璃 Bacony laminated tempered glass	●		SPC防水地板SPC waterproof floor	●
入户门 Entrance doors	防火定制门 Fireprof customized door	●		照明通风取暖三合一浴霸 Lighting.ventilation,and heating three in one bathroom heater	
入户锁 Entry lock	者店户外防水智鹃门臻 Hotel outdoor waterproof smart door lock	●	类别 category	**智能控制系统** inteligence control system	标配标 Standard
电器设备间 Electrical equipment room	空调/热水器Air conditioning/water heater	●	取电 Draw electricity	插卡取电/取卡断电 Insert card to power on/remove card from power supply	
氛围灯 Atmosphere ichts	外氛围灯LED External ambient ight LED		类别 category	产品配件product accesories	标配标 Standard
类别category	舱内精脑修明细Details of cabin decoration	标配标 Standard		吊环/运输固定件/连接件 Liting rings/transpot fasteners/connectors	
顶面topsuface	碳晶板高端定制吊顶 Carbon crystal panel high-end ustomlzed celling	●		脚撑kiestand	
增面wall	高绿定制晾品板 Advanced customized carbon crystal plate	●		入户踏步Entrance steps	
地板fioor	SPC石塑地板SPC stone plastic floring	●			
两In cabin	环绕氛围灯带Surrounding atmosphere ight strip	●			
明lighting	筒灯照明Downlight ilumination	●			
窗帘系统 Curtain system	电动窗帘轨道Electice curtain track	●			
类别category	**电器/水电明细** Electrical/Water and Electricity Details	标配标 Standard			
电缆cable	全屋电缆10平方入户8芯网线 10square meter husehold &-core network cable for the whole house				
管道pipe	PVC绝缘线路管道PVC insulatad circuit pipeline	●			
	全屋给排水抗爆抗压管道 Whole house water supply and drainage anti explosion and pressure resistant pipeline	●			
热水器 waterheater	海尔50L热水器Haier 50L watar heatar				
空调 air-conditioning	美的/海尔中央空调 Midea/Haier central ai condilioning	●			
插座socket	五孔播座/三孔插座(罗格朗/公牛) Fve hole socket/thre hole scket(Lgrand/BuO	●			
面板panel	开关面板/USB面板(罗格朗/公牛) Switch panel/USB panel (Legrand/Bulls)				

不含运费；参考价约10元一公里，以实际为准。不含一般纳税人增值税13%,以实际政策为准
Extuding shiping The reference pric is abut 10 yuan perkalometer,subjct toatual conaion xcluding 13%value-adad tax for general tapayers,subject to atual plcies

产品持续升棚换代中，图片仅供参考，最终以交付产品为准
During the continuous upgrading and replacement of the product,the picture ar fo reference only,and the final product delivery shall prevail

太空舱38㎡
space capsule













38平方标准版配置单
38 square standard version configuration sheet



产品型号：E9 PRODUCT Model:E9

外形尺寸Exteral dimesions	L11500mm*W3300mmH3200mm
客艳面积 Cabin are	38m²
入住人数 Ocoupancy	2-4人
客舱重量 Cain weiaht	10T
最大功率 maximum power	10KW

类里category	主体外理明烟Main apparance details	标能配标 Standard	类里category	五金卫浴明相 Hardwar bathrom dctails	标配 standard
主体框架 Main framework	热链锌钢框架结构厚度4mm Hot dip galvanlzed stelfane structure with a thicdoness of4mm		卫生间系统 Toilet system	卫生向隐私门(单向磨砂明化玻璃) Tolet prvacy door lone-way frosted tempered glasi	
外壳casing	招合金铝单板2.0m厚国标，表面金属破烤漆工艺 Alumirum alloy sluminum veneer20m thick natioralstardard,surface metal carbon baking pain proeess	●		多功能花者 Mult furetional showerhead	●
隔热保温防水层 Thermal irnsulation and waterpod layve	阻燃密高强A+环保无味聚舞脂保温展 Flam retardant high-density high-strength A+envronmentally fniendy odorless palyurethane insulation layer			洗手台/盘换/柜/池漏 Wash bain(tray/mirorkcabinetfordrain	
玻璃幕者 Gass	6+12A-6中空Lowe钢化玻璃 6+12A+6Hollow Lowe Tempered Glass			皇岛九狡智耗马隔 Huangdao/JSumu Inteligent Tolet	●
全景阳台 Panorami balcoy	阳台夹酸钢化玻璃 Balconylaminated tempered glass			SPC防水地板SPCwaterproof floor	
入户门 Entrance doors	防火定制门 Fireproof customzed dor	●		用明通风取娓三合一岩霸 Ligting entlain,nd hetingtre in ore bathrmomheter	
入户锁 Entry lock	酒店户外防水智能门频 Hotel outdoor waterprofsmart door lock		类别 category	智能控制系统 intelligence contrlsystem	配 standard
电器设备间 Electrical equipment room	空调/热水题Airconditionirg/waterheater	●	取电 Draw lectrikity	插卡取电取卡断电 Inse card to powron/remo card from power supply	
氛围灯 Atmosphere ights	外氛围灯LED External ambient light LED	要	类别 category	产品配件produtacesories	标配标 standard
类别category	舱内精按修明雄Details of cabin decoratlon	标能配标 Standard		吊环/湿输图定件/连接件 Lifting irngstranspor fasteners/connacters	
顶面top surfce	张晶板高端定制吊顶 Carbon crystal panel highend customized eiling	●		脚撑kickstand	
墙面wall	高级定制略晶板 Advarced customied carboncrystal plate	●		入户路步Entrarcesteps	
地板foor	SPC石塑地板SPC stone plasticloring	●			
舱内In cabin	环经邻围灯带Surrouding atmosphere lightstip	●			
期明ietine	筒灯照明Dowlput lurmnation	●			
窗帘系统 Curtain system	电动窗帘勃道Electric curtain track				
出ctegor	电/冰电明细 Electricalwater and Electricity Detalls	标态配标 Standard			
电坳cable	全屋电描10平方入户芯网线 10 squaremeter household 8-core networkcable for the whole house				
管道pipe	PVC绝娜线路管灌PVC insulated cicuit pipeline	●			
	全屋结排冰抗爆抗压管道 Whole house wster suply and drainage antiexplosion and presure resistant pipeline	●			
热水器 water heater	海尔50L热水器Haier 50L watereheater	●			
空调 irconctioning	美的海尔中央空调 Midea/Haier central air conditioning	●			
播连socket	五孔插睦/三孔插座《罗格朗/公牛) Five hole socket/thre hole socket (Legrand/Bul)	●			
直板panel	开关面板/USE面板《罗格阻/公牛) switch panelUSB pand (Legrand/aulls	●			

不含运费：参考价约10元一公里，以实际为准不含一般纳税人增值税13%,以实际政策为准
Ecluding hiping Thereferenepriceisabout 10yun perkilemeter,subect actualcnitions xcludng13%walue aded tax forgeneraltapoyer,zbjectactual poicies

产品持续升娠换代中，图片仅供参考，最终以交付产品为准
During the continuous upgading and raplacement of the preduct,the pictures arefor reference anly,and thefnal product delivery shallpreval

太空舱38m²V9款

space capsule











星巢太空舱38平方高配版配置单

Xingchao Space Cabin 38 Square High end edition Configuration Sheet

长(L):11.5M宽(M):3.3M高(H):3.3M Length (L):11.5M Width [M:3.3M Height(H):3.3M		
面积:38平米 Area:38suare meters		入住人数：2-8人Numberof guests:2-8 people
整体重量：9.5T overallwelght:9.5T		用电功率：11千瓦Electricityconsumption:11kilowatts
原 serial	项目project	标准配置Standard Configuration
1.标准配置1.Standard configuration□		
1	主体框架系统 Main framework system	星巢加厚抗震钢结构体系Xingchao Thickened Seismic StelStructure System
2	断桥门窗系统 Broke bridge door and window system	星乘缩嵌双层钢化中空LOW-E玻璃，标配纱窗，纱门 star Nestisembedded with double-layer tempered hollow LOW-Eglas and comes standard with screen windows,screen door
3	保温系统thermal insulation system	星巢聚氨醋发泡60毫米+高密废挤望板60毫米Xingchao Polyurethane Foam 60mm+High Density Extruded Board 60mm
4	外墙系统Exterior wallsystem	星巢氟服烤漆航空铝板Star Nest Fluorocarbon Paint Aviation Aluminum Plate
5	玻璃幕墙系统Glas curtain wallsystem	星巢三层钢化中空LOW-E玻璃6+12A+6+12A+6 Xingchaothree-layer tempered hollow LOW-Eglas56+12A+6+12A+6
6	棚面系统Shed surface system	星巢标准色梯面纤维板+标准色铝板Star Nest Standard Colo CeilingFiberboard+Standard Color Aluminum Plate
7	墙面系统Walsystem	星巢竹族纤维板内墙饰面+标准色外铝板 Star Nest Bamboo Charcoal Fiber Board Interior WallFinish+Standard Color outer Aluminum Plate
8	地面系统Ground System	星巢基层水泥纤维板、室内高级防水整合木地板 xingchao Base Cement Fiber Board,Indoor Advanced Waterproof Composite Wood Floor
9	户外阳台Outdoor balcony	夹胶玻璃护栏、户外23毫米地板Laminated glass guardrail,outdoor23mm floor
10	水管防冻系统Water pipe antifreze system	气源、气门芯、电磁阀Air pump,valve core,solenoid valve
2.卫浴配置2.Bathroom configuration		
	马桶toilet	九牧智能马桶Jiumu Inteligent Toilet
2	台盆washbasin	品牌台盆Brand basin
3	龙头dragon head	品牌龙头Brand leader
4	浴霸bath heater	风缓式多合一集成浴霸Wind heated muft in n integrated bath heater
5	淋浴shower	花洒shower head
3.电器配置3.Electrical configuration		
	智能系统inteligent system	全厘智控系统Whole house inteligent controlsystem
2	电气控制ElectricalControl	英的/扬子/正泰/欧普/施附德等品牌Midea/Vangtze/Chint/OPPO/Schneider and other brands
3	水路电路Waterway circuit	预留电气相关上下水管线及电源Reserve electrical related plumbing and power supply pipelines
4	卧室频明Bedroomlighting	上方灯带400DKAbove light strip 4000K
5	卧室氛围灯Bedroom ambient light	上方灯带、下方灯带、中部腰线带3500K Upper light strip,lower ihtstrip,midle waistine stip 3500K
6	洗手问照明Toilet lighting	洗手台马桶上方隐蔬式箭灯(防水14000K Hidden simple light above the washbasin toilet(waterprof94000K
7	室外阳台照明Outdoor balcony lighting	姐明筒灯灯《防水]4000K Lighting tube lamp (waterprof94000K
8	室外阳台洗墙灯 outdor balcony wall washer light	室外阳台黄色示廓3000K Outdoor balconyellow outline 3000K
9	冷曜空调Ai conditioner	美的/海尔中央空调Midea/Haier Central Air Conditioning
10	智能门锁smart doorlock	入户智能防水门禁Intelient waterprofaccess control for household entry
11	热水器water heater	海尔60L储水式热水器Haier DL storage water heater
4.窗帘系统4.Curtain system		
1	窗帘curtain	定制窗帘Customized curtains
2	集成控制面板Integrated control panel	插卡取电、集成灯控面板、智能语音控制功能
3	窗帘电动轨道Curtain lectric track	金属结构，经久耐用，配合尼龙滑轮Metalstructure,durable,paired with nylon pulleys
4	前部电动卷轴帘Front electri scrollcurtain	电动控制慕布帘Eletrie control Mubu curtain
5	顶部这阳帘Top sunshade curtain	电动控彬加厚遮阳帘Eletrie control thickened sunshade curtain二
5.增配5.Increase allocation		
1	石墨烯地暖/磁纤维加热地暖Graphene underflor heating/carbon fiber heating underflior heating	
2	智能语音小度/小爱/小智/英文系统+10寸屏显Intlient voicesystem/Xial/Xiaozhi/English system+10inch screen display	
3	电器洗衣机/冰箱/微波炉/烤箱/洗碗机等Eectricalapliances such as washing machines,refigerators,mierowaves,ovens,dishwashers,ate	
4	床1.8*2.0床/床垫Bed1.8*2.0 bed/matress	
5	休闲沙发/茶几Leisure sofa/coffe table	
6	图房棚柜/吊柜/电磁炉/岛台/洗菜盆/油烟机 kitchen cabinat/haneine cabinatinduction cookerlisland tablevezetable washing basinfranee hoodL	
7	海信65寸智能超高清4K电视Hisense 65inch inteligent ultra high delfinition 4KTV	
产品持续升级换代中，图片仅供参考，最终以交付产品为准 During the continuous upgrading and replacement ofthe product,the picture are for reference only,and the final product delivery shall prevail		

双层舱
Double decker cabin







双层舱
Double decker cabin







模块化太空舱
Modular spacecraft

模块分析 module analysis



模块化优势 Modular advantage

高 效 性 Efficiency

质 量 保 证 Quality Assurance

节 能 环 保 Energy conservation and environmental protection

模块化建筑是一种创新的建筑方式
Modular architecture is an innovative way of building

将建筑分成若干空间模块，这些模块在工厂内完成预制，包括内部的设备、管线、装修等。之后，将这些预制好的模块运输至施工现场，通过可靠的连接方式组装成完整的建筑整体。

你可以理解为像搭积木一样搭建房子，采用标准化设计和生产流程，使得每个模块的质量都能得到严格控制。同时，在工厂内进行批量生产，大大缩短了施工周期，减少资源浪费，提高了建筑效率。

Divide the building into several spatal modules,which are prefabricated in the factory,includinginternal equipment,pipelines,decoration,ete.Aterwards,these prefabicated modules are transported to the construction site and assembled into a complete building through reliable connection methods.

You can understand it as building a house like buiding blocks,using standardized design and production processes,so that the quality of each module can be strictycontroled.At the same time,massproductionin th factory greaty shortensthe construction period,reduces resource waste,and improves buildingeficiency.

苹果舱系列
Apple Cabin Series








出口装柜款
Export container payment







L:5850mmxH:2480mm
长：5850毫米x高：2480毫米



L:11500mmxH:2480mm
长：11500毫米x高：2480毫米



L:11500mmxH:2480mm
长：11500毫米x高：2480毫米

民宿款
Homestay payment







办公室款
Office style







茶室款
Tea room style











KTV 款

长6米宽3.7米高3米，包含音响、智能灯光系统沙发、茶几、电视通电即用。

KTV style

Measuring 6 meters in length, 3.7 meters in width, and 3 meters in height, includes a sound system, an intelligent lighting system, a sofa, a coffee table, and a TV that can be used immediately when powered on.









台球室款

Bill ards room style





24小时自助台球室







棋牌室款
Chess and Card Room Style













书吧款
Book Bar Style







咖啡屋款

Coffee shop style











景观小屋

Landscape cottage



11m²迷你舱(平面布置图)









景观房
Landscape room








网红箱
Internet celebrity box











网红箱
Internet celebrity box









拓展箱
Expansion box








拓展箱
Expansion box

Durable for 30 years
耐用30年

Install a house within one hour(
在一小时内安装一所房子

Load capacity 6.5T
承载能力6.5T





>>20FT(narrow)
>>20FT （狭窄的）







6300mm
6300毫米

6300mm
6300毫米

产品信息 • Product Information

TYPE 类型	20FT 20FT	20FT(narrow) 20FT(窄)	40FT 40FT
Foldingsize 折叠尺寸	L:5900×W:2200×H:2480mm 长：5900x宽：2200x高：2480毫米	L:5900xW:700×H:2480mm 长：5900×宽：700X高：2480毫米	L:11800xW:2200XH2480mm 长：11800x宽：2200x高：2480毫米
Expanded size 规模	L:5900xW:6300×H:2480mm 长：5900x宽：6300x高：2480毫米	L:5900XW:4800×H:2480mm 长：5900x宽：4800x高：2480毫米	L:11800×W:6300×H:2480mm 长：11800x宽：6300x高：2480毫米
Weight 重量	3Tons 3吨	1.8Tons 1.8吨	6Tons 6吨
Occupancy 容纳人数	2~8people 2-8人	2-8people 2-8人	2~12people 2-12人

1 小时快速安装
Hour rapid installation



扁平包装
Flat Pack Packing

屋顶安装
Roof installation

地板安装
Floor installation

墙安装
Wall installation

可扩展房屋完成
Expandable House Fineshed

布局图
Layout

一个40英尺的HQ集装箱可以容纳两个20英尺的可扩展房屋
One 40FTHQ container can hold two 20FTexpandable house
>一个40英尺的HQ集装箱可以容纳6个20英尺的狭窄可扩展房屋
One 40FTHQ container can hold620FT narrow expandable house
一个40英尺的HQ集装箱可以容纳一个40英尺的可扩展房屋
One 40FTHQ container can hold one 40FT expandable house





11800mm
11800毫米



11800mm
11800毫米



6300mm
6300毫米

配置描述
Configuration description



卧室x3卫生间x1
厨房x1
Three bedrooms
One Restroom
One kitchen



卧室x2卫生间x1
客厅x1
Two bedrooms
One Restroom
One livingroom



卧室x3 卫生间x1
客厅x1
Three bedrooms
One Restroom
One livingroom



卧室x1卫生间x1
客厨x1
One bedrooms
One Restroom
One Guest kitchen



卧室x2 卫生间x1
客厨x1
Two bedrooms
One Restroom
One Guest kitchen



卧室x3 卫生间x1
客厅x1
Three bedrooms
One Restroom
One livingroom

打包箱 ·折叠箱 ·快拼箱

Packing box,folding box,fast consolidation box

>>一个四十尺高柜可装六套打包箱

A 40 foot high cabinet can hold six sets of container house

>>一个四十尺高柜可装十套Z字型折叠箱

A 40 foot high cabinet can hold ten sets of Z-type folding house

>>一个四十尺高柜可装十五套快拼箱

A forty-foot high cabinet can hold fifteen sets of quick-assembly containers








立体分解图

Three-dimensional decomposition diagram



(01)	顶 角 件	Top corner part
(02)	顶 横 梁	Roof frame
(03)	顶 蒙 皮	Roof sheet
(04)	玻璃丝棉保温	Fiber glass wool insulation
(05)	顶 次 梁	Roof purlin
(06)	顶 横 梁	Roof frame
(07)	顶蒙皮支撑	Roof sheet support
(08)	Z 型 件	Z-part
(09)	W 连 接 件	W connection
(10)	立 柱	Column
(11)	塑钢推拉窗	Plastic steel sliding window
(12)	底 角 件	Top corner part
(13)	底 横 梁	Base frame
(14)	钢制防盗门	Steel door
(15)	泛 水 槽	Sink
(16)	底 横 梁	Base frame
(17)	墙 板	Wall panel
(18)	塑胶地板	Vinyl sheet
(19)	水 泥 板	Cement board
(20)	底 次 梁	Base Purlin
(21)	踢 脚 线	Skirting line
(22)	立柱包件	Cover seal
(23)	落 水 管	Drainage pipe

3D 示意图

3D drawing display



>>卫生间Rest room



>>浴室Bathroom



>>办公室Office




打包箱 ·折叠箱 ·快拼箱

Packing box,folding box,fast consolidation box

施工极快，效率超高
The constructionis extremely fast and the efficiency is extremely high

成本显著降低
The cost has been significantly reduced

灵活性与可移动性强
It has strong flexibility and mobility



折叠箱安装过程

Folding container houseInstallation Process









>>特点：3分钟安装完毕
>>Characteristic:installation in 3minutes

卫生间系列

Bathroom Series











COLOR OPTION



GM-01 - Angel White Marked Brick



GM-02 - Ivory White Standard Brick



GM-03 - Vise Yellow Label Brick



GM-04 - Beige-colored brick



GM-05 - Desert Yellow Marked Brick



GM-06 - Light Gray Flagstone



GM-07 - Ancient Wall Gray Flagstone Bricks



GM-08 - Brick Red Marked Brick



GM-09 - Light Brown Sand-Grained Brick



GM-10 - Police Blue Mark Brick



GM-11 - Three-color Three-dimensional Red Brick



GM-12 - Three-color Three-dimensional Grey Brick



GM-13 - Two-color Blue Brick



GM-14 - Grey bricks with white joints



GM-15 - Red Brick with Black Edges



GM-16 - Daishan Wood



GM-17 - Yellow Chicken Wing Wood



GM-18 - Red Rosewood



GM-19 - Two-color Teak Wood



GM-20 - Pine Knot



GM-21 - Black Chicken Wing Wood



GM-22 - Pine Wood



GM-23 - Sandalwood



GM-24 - Red Mahogany

The Long Stone Series Exhibition



GM-25 - Light Brown Sand Striped Stone



GM-26 - Ancient Wall Gray Long Stone



GM-27 - Angel White Long Stone

The Big Three Brick Series Exhibition



GM-28 - Ancient Wall Gray Three-Brick



GM-29 - Desert Yellow Three-Shaped Brick



GM-30 - Angel White Three Bricks



GM-31 - Vichy Yellow Three-Shaped Brick



GM-32 - Brick Red Three Bricks



GM-33 - Light Brown Sand Three Bricks

Anti-crack Pattern Series Display



GM-34 - Black and White Sesame Points



GM-35 - Black and White Marble



GM-36 - Red Maple Marble



GM-37 - Golden Marble Stone



GM-38 - Jazz White



GM-39 - Hetian Jade



GM-40 - Three-color Blue Brick



GM-41 - Aurora Marble



GM-42 - Monochrome Cultural Stone



GM-43 - Two-color Terracotta

Orange Peel Pattern Series Exhibition



GM-44 - Angel White Flat Orange Peel Texture



GM-45 - Beige flat with orange peel pattern



GM-46 - Ancient Wall Gray Flat with Orange Texture



GM-47 - Desert Yellow with Flat Orange Texture



GM-48 - Police Blue Flat Orange Texture



GM-49 - Brick Red Flat Pattern with Orange Texture



GM-50 - Digital Camouflage



GM-51 - Rocket Force Camouflage



GM-52 - Light Brown Sand with Straight Channels



GM-53 - Straight Gouge in Ancient Wall Ash



GM-54 - Beige with a straight groove



GM-55 - Da Shan Wood Straight Gully

GM-56 - Angel White Single Slope Gully



GM-57 - Desert Yellow Monoclinic Dike



GM-58 - Ancient Wall Gray Single Slope Gutter



GM-59 - Vise Yellow Single Slope Gully



GM-60 - Green flat with orange stripes

Flat Series Exhibition

GM-61 - Angel White Plane

GM-62 - Ivory White Plane



GM-63 - Light Gray Plane



GM-64 - Ancient Wall Ash Plastering



GM-65 - Plane of the Hollow in the Ancient Wall Ash

GM-66 - Angel White Middle Groove Plane



GM-67 - Silver Dot Textured Fabric



GM-68 - Silver fabric pattern

Two-color roller coating series



GM-69 - Ancient Wall Gray Roller Coated with Angel White



GM-70 - Angel White Roll Coating with Ancient Wall Gray



GM-71 - Angel White Roll Coated with Semi-Gloss Yellow



GM-72 - Angel White Coated Brick Red





GM-74 - Angel White Coating with Orange Yellow Color





GM-75 - Ancient Wall Gray Roller Coating Angel White





GM-77 - Ancient Wall Gray Roller Coating Red Brick

GM-78 - Vichy Yellow Roller Coated Orange Red

Important Notice: When ordering double-color roller-coated sheets, it is recommended to purchase them all at once with the building project. This will prevent color variations during restocking.

Water Ripple Series Exhibition

GM-79 - Angel White Water Ripple



GM-80 - Ancient Wall Gray Water Wave Pattern



GM-81 - Light Brown Sand Water Ripple



GM-82 - Sample Green Water Wave Pattern



GM-83 - Police Blue Water Wave Pattern



GM-84 - Pink Water Ripple



GM-85 - Yellow Water Ripple

The Great Wall Board Series Exhibition



GM-86 - Pine Knot



GM-87 - Red Rosewood



GM-88 - Light Gray



GM-89 - Ancient Wall Ash



GM-90 - Angel White





GM-91 - Dark Gray Coated with Light Beige

GM-92 - Angel White Roll with Deep Grey Coating